CANCER CASES DIAGNOSED IN 1985-89

ZIP=64053

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE PERCENT	18.4 57.9 80.9
CUMULATIVE CUMULATIVE CUMULATIVI DX_YR FREGUENCY PERCENT FREGUENCY PERCENT	28 55 123 153
PERCENT	18.4 17.8 21.7 23.0
FREQUENCY	20 K M K K K K K K K K K K K K K K K K K
אי_אם	88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

CUMULATIVE CUMULATIVE SITEN FREQUENCY PERCENT	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG	53	19.1	62 .	19.1
LARYNX	63	ų	31	20.4
HELANOMA	64	7.3	33	21.7
OTHER CANCER SIT	117	77.0	150	98.7
SKIN CANCER	61	1.3	152	100.0

CUMULATIVE PERCENT	2.6	12.5	46.7	2.92	100.0
CUMULATIVE CUMULATIVE CUMULATIVE AGEMO FREQUENCY PERCENT	4	19	71	116	152
PERCENT	2.6	6.6	34.2	29.6	23.7
FREQUENCY	4	51	52	ą.	36
AGEHO	0 TO 14	15 TO 44	45 TO 64	65 TO 74	75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64053

TABLE OF SITEN BY AGEND

AGEMO

SITEN

FREQUENCY	다 이	4	5	44 45	10 6	4 65	ዩ	74 [7	10 TO 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS	TOTAL
BRONCHUS & LUNG 0 0 14 11 4		-			ļ.		~	11	4	53
TARVAX O O O O O O		-		0					0	* C1
HELANOMA O 0 0 0 2 1		0		0		- 0			0	63
OTHER CANCER SIT 4 15 37 30 31		4		15.	3	37	 	30	K	711
SKIN CANCER 0 0 1		-		0		-		0	7	. 63
TOTAL 4 15 52 45 36		4		1.5	52		,	45	36	152

TABLE OF SITEN BY DX_YR

SITEN	DX_YRIVEAR OF FIRST DIAGNOSIS OF THIS CANCER,)	OF FIRST	DIAGNOSIS	OF THIS	CANCER.)	-
FREQUENCY	851	861	178	88	89	TOTAL
BRONCHUS & LUNG 4 3	4	*	6	6	4 4	. 62
LARYNX 1 0 1 0	- I	0	7 7		0	61
MELANOMA	0	0	0	0	2	7
OTHER CANCER SIT	¦	22 24 23	23	25	25 23	117
SKIN CANCER	П П	0]	0	0 1 7 1	0	14
TOTAL	88	27	33	35	29	152

And the state of t

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64054

. YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	24.0	38.0	71.0	88.0	100.0
CUMULATIVE FREQUENCY	85 24 24.0 24 24.0	33	77	88	100
PERCENT	24.0	14.0	33.0	17.0	12.0
FREQUENCY	24	14	M	17	12
מא_יא	85	86	87	88	89

SITEN	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG 16 16.0 16.0	16	16.0	16	16.0
LARYNX	, 1	0.1 1.0	17	17.0
HELANOMA	-1	1.0	81	18.0
MULTIPLE MYELOMA	r	0.1	19	19.0
OTHER CANCER SIT	76	76.0	95	95.0
RESPIRATORY ORGA	~	2.0	45	97.0
SKIN CANCER	м	о. В.	100	100.0

CUMULATIVE	1.0 15.0 47.0 72.0 100.0	
CUMULATIVE CUMULA. FREQUENCY PERCEN	124 55 L	
PERCENT	14.1 3.22.0 2.0.0 0.0.0 0.0.0	
FREQUENCY	. 4 W W W	
AGEMO	0 70 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS	

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64054

TABLE OF SITEN BY AGENO

AGEMO

SITEN

FREQUENCY	lo TO 14	115 TO 44	45 TO 64	10 TO 14 115 TO 44 45 TO 64 65 TO 74 75 PLUS	LUS	TOTAL
-5	0	0	5 C	S.	a.	⊕~
LARYNX	0	0	7	0	-	 1-1
İ	0	0	7	0	0	-
MULTIPLE HYELOMA	0	0	0		0	rı
OTHER CANCER SIT		14	1 23	16)	22	76
RESPIRATORY ORGA	0				0	
SKIN CANCER	0	0	1	2	0	Pi
TOTAL 1 14 32 25 28	H	14	32	52	28	100

CANCER CASES DIAGNOSED IN 1985-89

ZIP#64054

TABLE OF SITEN BY DX_YR

	TOT
OF THIS CANCER.)	89
THIS	88
S 04	
DIAGNOSIS	871
FIRST	198
DX_YRIYEAR OF 1	951

SITEN

FREQUENCY						89 TOTAL
BRONCHUS & LUND			7		-	16
LARYNX		0	:		1 I	
MELANOMA			0	0	0	rt
HULTIPLE MYELOMA			0 1 0		0	-
OTHER CANCER SIT		6	26	9 26 14 10	101	26
RESPIRATORY ORGA		2	2 0		0	N.
SKIN CANCER	м	o	0	0 0	0	M.
TOTAL	54	14	33	24 14 33 17 12	12	100

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64120

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

		55.0	70.0	85.0	100.0	
CUMULATIVE CUMULATIVE CUMULATIVE CUMULA OX_YR FREQUENCY PERCENT FREQUENCY PERCEI	7	Ħ	7 ¢	17	50	
PERCENT	35.0	20.0	15.0	15,0	15.0	
FREQUENCY	7		M	M	M	
DX_YR	85	98	87	88	89	

SITEN			PERCENT	CUMULATIVE FREQUENCY	ΑÇE	CUMULATIVE PERCENT
RONCHUS & LUNG ARYNX THER CANCER SIT	10 5 11 14	j	25.0 5.0 70.0	14 o 51	14 o D	25.0 30.0
AGEMO	FREQUENCY	PERCENT		CUMULATIVE FREQUENCY	- PE	CUMULATIVE PERCENT
15 TO 44 45 TO 64 65 TO 74 75 PLUS	M DB ~1 CA	10.0 35.0 15.0		9 6 77 20 20	H	10.0 45.0 85.0

TABLE OF SITEN BY AGEMO

SITEN	AGEMO				
FREQUENCY	115 TO '44	45 TO 64 65	115 TO 44 45 TO 64 65 TO 74 175 PLUS	₹	TOTAL
BRONCHUS & LUNG 0 2 2 1	0 1	2	2	-	iΩ
LARYNX	0	- 0	• • • • • • • • • • • • • • • • • • •	0	н
OTHER CANCER SIT 2 5 5 2	2	15	1 14)	2	14
TOTAL 2 7 8 3	2		1 0	m	20

MISSOURI CANCER REGISTRY MISSOURI DEPARTMENT OF HEALTH STATE OF MISSOURI

CANCER CASES DIAGNOSED IN 1985-89

ı.	1
PERCENT	100.0
PERCENT FREQUENCY	13209
	100.0
FREQUENCY	JACKSON 13209 100.0 13209 100.0
COUNTY	JACKSON

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	PERCENT	21.0	40.9	2.09	81,3	100.0
CUMULATIVE	DX_YR FREQUENCY PERCENT FREQUENCY PERCENT	2776	5407	8013	10740	13209
;	PERCENT	21.0	19.9	19.7	20.6	18.7
	FREQUENCY	2776	2631	2606	2727	2469
;	ν. Υπ	85	98	87	88	88

SITEN	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG 2271 17	2271	17.2	2271	17.2
LARYNX	184	1.4	2455	18.6
MALE GENITAL ORG	19		2474	18.7
MELANOMA	141	ri ri	1292	19.8
MULTIPLE MYELOMA .	306	9.0	2727	50.6
NASAL CAVITIES	19		2746	20,8
OTHER CANCER SIT	10170	77.0	12916	97.8
RESPIRATORY ORGA	26		12942	98.0
SKIN CANCER	267	2,0	13209	100.0

CUMULATIVE PERCENT	80	12.6	0.44	72.4	100.0
B10 No.	İ	1658	5811	9558	13209
PERCENT	0.8	11.7	31.4	58.4	27.6
AGEMO FREQUENCY PERCENT FREGUENCY	106	1552	4153	3747	3651
AGEMO	0 TO 14	15 TO 44	ይ	65 TO 74	75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

TABLE OF SITEN BY AGEMO

AGEMO

SITEN

FREQUENCY	<u> </u>	0.14	-	5 TO 4	4 45	TO 64	165 TO 74	0 TO 14 (15 TO 44 45 TO 64 65 TO 74 (75 PLUS)	TOTAL
BRONCHUS # LUNG	<u>.</u>	6		29		916	814	1 474 1	2271
LARYNX		0	-	#		\$	09	19	184
MALE GENITAL ORG		-	-	10,		6	Į.	3	194
MELANONA		3	-	46	_	48	28	25	147
HULTIPLE HYELÖMA	_	J		٥		54	1 42	1 40	106
NASAL CAVITIES	_					60	9 1	4	19
OTHER CANCER SIT	_	100	-	1374	_	2971	2734	1 2991	10170
RESPIRATORY ORGA		.,		ď		9	80	9	56
SKIN CANCER				44		77	54	·	267
TOTAL		106		1552		4153	3747	3651	13209

CANCER CASES DIAGNOSED IN 1985-89
JACKLSO K. COUNTY
TABLE OF SITEN BY DY R

SITEN	DX_YRIYEA	DX_YRIYEAR OF FIRST DIAGNOSIS OF THIS CANCER,)	DIAGNOSI	S OF THIS	CANCER,)	
FREQUENCY	1 85	198	87	69	168	TOTAL
BRONCHUS & LUNG	495	463	432	483 [398	2271
LARYNX	38	7 15	36	31	28	184
MALE GENITAL ORG	×	7 -	4 4	7	4	19
	35	27	31	30	42	147
MULTIPLE MYELOMA	23	17	19 [23	52	106
NASAL CAVITIES	- 8 -	7 - 2	1 9.	- 5	- 2	19
OTHER CANCER SIT	2084	2011	2032	2096	1947	10170
RESPIRATORY ORGA	9	·	- M	9	*	56
SKIN CANCER	1.68	46	43	52	37	292
TOTAL	2776	2631	2606	2727	2469	13209

CANCER CASES DIAGNOSED IN 1985-89

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE PERCENT	18.8 39.1 59.9 80.6	100.0
CUMULATIVE CUMULAT. VR FREQUENCY PERCENT FREQUENCY PERCEN	541 1122 1721 2315	2871
PERCENT	20.5 20.5 20.6 7.05	19.4
FREQUENCY	541 581 599 599	556
DX_YR	8 8 8 8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	89

SITEN	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG	578	20,1	578	20.1
LARYNX	55	1.9	633	22.0
MALE GENITAL ORG	60	ņ	641	22.3
HELANOMA	21	7.0	799	23.1
HULTIPLE MYELOMA	53	1.0	169	24.1
NASAL CAYITIES	J	1.0	695	24.5
OTHER CANCER SIT	2123	73.9	2618	98.2
RESPIRATORY ORGA	80	£'0	2826	98,4
SKIN CANCER	ð	1.6	2871	100.0

CUMUL	10.0 42.9 73.4 100.0
FIC	19 514 1231 2107 2871
본	26.57 26.53 26.53
21.	295 295 917 876 764
AGEHO	0 T0 14 15 T0 44 45 T0 64 68 T0 74 75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

TABLE OF SITEN BY AGENO

AGEMO

SITEN

:	10 TO	74	15 T	44 45	5 TO 64!	65 TO 74	10 TO 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS	TOTAL	
BRONCHUS & LUNG		0		107	261	10 261 190		578	
LARYNX		0		4	29	16	9	55	_
MALE GENITAL ORG	-	0		H	4	O	м	- ω	_
HELANOMA		0		2	9	7	5	12	
MULTIPLE MYELOMA		0			4	12		29	
NASAL CAVITIES		0			H	1	2	4	
OTHER CANCER SIT		19		267	909	637	1 600 1	2123	
RESPIRATORY ORGA		0		2	н	m	2	ထ	
SKIN CANCER		c		ω	Ħ	10	16	45	
TOTAL		19		295	917	876	764	2871	

CANCER CASES DIAGNOSED IN 1985-89

TABLE OF SITEN BY DX_YR

SITEN	DX_YR(YEA	DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER.)	DIAGNOSIS	OF THIS	CANCER.)	
FREQUENCY	1 85	861	129	88	168	TOTAL
BRONCHUS & LUNG	111	124	136	122	105	578
ĭ	8	24	or I		9	55
MALE GENITAL ORG	H	×	2	0	2	100
HELANOMA	-	M	2	- 5	4	ដ
HULTIPLE MYELOMA	1 7	2	9	9	8	29
	0	0	w	0	H	. 4
OTHER CANCER SIT	388	413	452	447	423	2123
RESPIRATORY ORGA	1	9	0	-	0	æ
SKIN CANCER	18	9	8)	9	7	4. 10
TOTAL	541	581	599	594	556	2871

CANCER CASES DIAGNOSED IN 1985-89

TABLE OF ZIP BY DX_YR

DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER.)

ZID

TOTAL	535	152	100	50	280	332	36	168	591	438	216	2871
168	9.5	59	12	ы	22	69	11	0x	115	06	35	556
88	92	35	17.1	'n	48	1 22	1 6	1 02	149	86	48	1994
87	114	33	33	м	687	54	11 1	34	118	89	51	599
86	111	27	14	4	19	76	4	37	112	85	50	581
85]	126	28	24	7 1	42	56	4	37	97	88	32	541
FREQUENCY		64053 [64120 [64124 1	64125	64126	64127	64128	64129	TOTAL

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64052

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	ייייייייייייייייייייייייייייייייייייייי	23.6	64.3	65.6	82.8	100.0	
CUMULATIVE		126	237	351	443	535	
		23.6	20,7	21.3	17.2	17.2	
>CM27.0000	יובייבייביי	126	111	114	92	92	
2	٠ ٢	85	98	87	88	89	

SITEN	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG 105 19.6 105 19.6	102	19.6	105	19.6
LARYNX	5	7.7	114	21.3
MELANOMA	•	4.4	120	52.4
MULTIPLE MYELOMA	~	H.3	127	23.7
NASAL CAVITIES	~1	0.2	128	23.9
OTHER CANCER SIT	393	73.5	125	97.4
RESPIRATORY ORGA		0.2	525	97.6
SKIN CANCER	13	2.4	S S S S S S S S S S S S S S S S S S S	100.0

CUMULATIVE PERCENT	1
CUMULATIVE CUMULAT Y PERCENT FREQUENCY PERCEN	M 4 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PERCENT	25 27 6 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
GEMO FREQUENCY	23 172 172 152
AGEMO	0 TO 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64124

TABLE OF SITEN BY AGENO

AGEMO

SITEN

FREQUENCY	15 TO	44 4.	5 TO 64	15 TO 44 45 TO 64 65 TO 74 75 PLUS	175 PLUS	TOTAL
BRONCHUS & LUNG			3,5	12	16 (Ľ
LARYNX			7	8	0	12
MALE GENITAL ORG	-	-	м		0	м
MELANOMA			П	0	1	64
HULTIPLE MYELOMA	-			н	.0	-
NASAL CAVITIES		0	0		н	н
OTHER CANCER SIT	4	41	61	18	53	236
RESPIRATORY ORGA	-		0			H
SKIN CANCER			D	2 [IG,
TOTAL	4	45	106	108	73	332

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64124

TABLE OF SITEN BY DX_YR

DX_YRIVEAR OF FIRST DIAGNOSIS OF THIS CANCER.)

SITEN

FREQUENCY	851	861	128	88	168	TOTAL
BRONCHUS & LUNG	161	14	101	18	01	12
LARYNX	0	7	2	H	0	. 21
HALE GENITAL ORG [. T	н	0	0		м
HELANOMA	7	0	0	ч	0	≈
MULTIPLE MYELOMA	0	H	0	0	0	-
NASAL CAVITIES	0	0		0	0	.
OTHER CANCER SIT	34	51	40 1	53	58	236
RESPIRATORY ORGA	0	H.	0	0	0	Ħ
SKIN CANCER	Н	H	1	2	0	ល
TOTAL	- 56 -	76	54	77	69	332

CANCER CASES DIAGNOSED IN 1985-89

ZIP#64125

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	10.3	20.5	48.7	71.8	100,0
CUMULATIVE	10.3	89	19	82	36
PERCENT	10.3	10.3	28.2	23.1	28.2
JENCY	4	4	급	6	11
DX_YR	85	86	87	88	89

SITEN	FREQUENCY	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE	
BRONCHUS & LUNG 7 17.9 7 17.9 LARYNX 1 2.6 8 20.5 OTHER CANCER SIT 30 76.9 38 97.4 SXIN CANCER . 1 2.6 39 100.0	~ нон	17.9 2.6 76.9 2.6	7 8 8 4 4 8 8 4 4 8 8 8 4 8 8 8 8 4 8 8 8 8 4 8	20.74 97.4 0.001	

ENT.	12.8 46.2 100.0
JLATIVE	188 7,73 8,74
	awina
GEMO FREQUENCY PER	21 9 51
AGEMO	15 TO 44 45 TO 64 65 TO 74 75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

ZIP#64125

TABLE OF SITEN BY AGEND

AGEMO SITEN

5 TO 74 75 PLUS TOTAL	7 2 0	r 0 1 0	8 8 10 30	T 0 1 T	
115 TO 44 45 TO 64 65 TO 74 75 PLUS	0 S	10 1	8	0 1 0 1	
REQUENCY 15 1	SRONCHUS & LUNG 0 5 0 2	ARYNX	THER CANCER SIT 4	SKIN CANCER 0 1 0	

TABLE OF SITEN BY DX_YR

B91 TOTAL	2 1 2	٦ 	05 30	H	11 39
	į			-	7
88	2	0	7	0	6
87]	2	0	. 6	ч	177
86	0		ж	0	, , , , ,
85 15	н	0	*	0	+ + + + + + + + + + + + + + + + + + +
FREQUENCY	i	i	OTHER CANCER SIT	SKIN CANCER	TOTAL
	85 86 87 88 89	85 86 87 88 89 89 89 89 89 89 89 89 89 89 89 89	85 86 87 86 891 86 891 8 891 8 991 9 991 9 991 9 991 9 991 9 991 9 991 9 991 9 991 9 991 9 991 9	85 86 87 86 891 891 891 891 891 891 891 891 891 891	85 86 87 86 89 89 89 89 89 89 89 89 89 89 89 89 89

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64126

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	22.0	4.0	64.3	82,1	100.0
CUMULATIVE	85 37 22.0 37 22.0	74	108	138	168
PERCENT	22.0	22.0	20.2	17.9	17.9
FREQUENCY	37	37	¥	. 30	90
איןאמ	85	98	. 87	88	69

SITEN		PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG	23 13.7	13.7	23	13.7
LARYNX	rt	9.0	52	74.4
HALE GENITAL ORG	н	9.0	25	14,9
MELANOMA	M	9.1	28	16.7
HULTIPLE MYELOMA		1.2	30	17.9
NASAL CAVITIES	इन	9.0	3,1	18,5
OTHER CANCER SIT	130	77.4	161	95,8
RESPIRATORY ORGA	24	1.2	163	97.0
SKIN CANCER	ល	3.0	168	100.0

CUMULATIVE PERCENT	1.8 14.3 47.0 81.0 100.0
CÚMULATIVE CUMULAT) AGEMO FREQUENCY PERCENT FREGUENCY PERCEN	24 79 736 136
PERCENT	112 322 332,7 193,9
FREQUENCY	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
AGEMO	0 TO 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64126

TABLE OF SITEN BY AGEMO

AGEMO

SITEN

FREQUENCY	٥.	2	4	= :	2	54 45	. TO 64	65	10 74	10 TO 14 15 TO 44 45 TO 64 65 TO 74 75 PLUS	TOTAL
BRONCHUS . LUNG	ļ :		0	_		0		ļ	T.	מן מן	23
LARYNX			P	_			0		ы	0	
MALE GENITAL ORG	.		٥	ļ <i>,</i>	į		0	-	0	0	
HELANDIA	į ,		٥	-		-	2	ļ	0	, , , , , , , , , , , , , , , , , , ,	
MULTIPLE HYELOHA	ļ		٥	.		-	0	<u>.</u>	-	7	
NASAL CAVITIES		•	O			0	0		0	1 7	
OTHER CANCER SIT			М	ļ ·		- 21	14	_	k,	1 26	ΕŢ
RESPIRATORY ORGA	į	į	.0	ļ ·) } ;	-	0	<u>.</u> — .			
SKIN CANCER	-		٥		 	2		-	H	7	
TOTAL			м			12	55		57	32	16

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64126

TABLE OF SITEN BY DX_YR

SITEN	DX_YR(YE	AR OF	FIRST	DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER,)	OF THIS	CANCER,)	
FREQUENCY	85]	_	198	871	88	89	TOTAL
BRONCHUS & LUNG			M F	8	4	N .	23
LARYNX	0		0	0	 	0	- ,,
MALE GENITAL ORG	0		H.	0	0	0	н
MELANOMA	7		-	·		0	м
MULTIPLE HYELOMA	0	_	0	0	0	2	6
NASAL CAVITIES	0			0	0	+ ·	-1
OTHER CANCER SIT	1 30		31	54	23	22	130
RESPIRATORY ORGA	rđ		н	0	0	0	84
SKIN CANCER	1 2		- — - р-1	н		0	и
TOTAL	37		ķ	34	30	30	168

CANCER CASES DIAGNOSED IN 1985-89

ZIP#64127

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE	PERCENT		16.4	35.4	55.3	80.5	100.0	
CUMULATIVE	FREQUENCY	***************************************	26	509	327	476	591	
	PERCENT		16.4	19.0	20.0	25.2	19.5	
	FREQUENCY		97	115	118	149	115	
	אי אם		85	86	87	88	80	

CUMULATIVE CUMULATIVE CUMULATIVE CUMULATIVE SITEN FREQUENCY PERCENT FREQUENCY PERCENT	FREQUENCY PERCENT	PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT
BRONCHUS & LUNG	138	23.4	138	23.4
LARYNX	2	7.7	148	25.0
1EL ANOMA	63	٥.3	150	25.4
MULTIPLE HYELOMA	9	н 0	156	26.4
DINER CANCER SIT	428	72.4	584	98.8
RESPIRATORY ORGA	-	0,5	585	99.0
SKIN CANCER	9	0:1	591	100,0

CUMULATIVE PERCENT	0.2 11.5 43.7 74.8 100.0
~ ₹ ⋽ ↓	1 68 258 442 591
CUMUL. PERCENT FREG	0118 882 88 88 88 88 88 88 88 88 88 88 88 8
O FREQUENCY P	
픖	타당

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64127

TABLE OF SITEN BY AGENO

AGEHO	

FREQUENCY	10 TO 14	115 TO 44	45 TO 64	10 TO 14 115 TO 44145 TO 64165 TO 74175 PLUS	TOTAL
BRONCHUS & LUNG	1 0	3	29	3 62 45 28	138
LARYNX	0	0	*	9	-pr
	0	1	2	o	2
MULTIPLE MYELOMA				2	9
OTHER CANCER SIT	ri -		124	129	428
RESPIRATORY ORGA	_	0	0	•	. r l
SKIN CANCER	0	7	1		9
TOTAL		49	190	184 149	165

DATA UPDATED TO SRD QUARTER 1991

HISSOURI CANCER REGISTRY MISSOURI DEPARTHENT OF HEALTH STATE OF MISSOURI

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64127

TABLE OF SITEN BY DX_YR

SITEN	DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER.)	OF FIRST	DIAGNOSIS	OF THIS	CANCER.)	
FREQUENCY		98	871	188	168	TOTAL
BRONCHUS & LUNG	25	27	26 1	37	23	138
LARYNX	7	2	**	0	м	- 2
HELANOMA	0	0		7	0	2
MULTIPLE MYELOMA	0	ч	'n	~	0	•
OTHER CANCER SIT	1 68	82	84	108	86	428
RESPIRATORY ORGA	0	0	H 1 0	Н	0	+
SKIN CANCER	8	0	0	0	м	
TOTAL	26	112	118	149	115	165

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64128

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE		39.5	59.8	79.5	100.0
CUMULATIVE CUMULA DX_YR FREQUENCY PERCENT FREQUENCY PERCE	88	173	262	348	438
PERCENT	20.1	19,4	20.3	19.6	20.5
FREQUENCY	88	85	68	98	90
DX_YR	85	86	87	88	68

SITEN	FREQUENCY PERCENT	· PERCENT	CUMULATIVE FREQUENCY	CUMULATIVE PERCENT	
BRONCHUS & LUNG	78	17.8	78	17.8	
LARYNX	12	2.7	90	20,5	
MALE GENITAL ORG	61	0.5	26	21.0	
MELANOMA	r÷	0,2	26	21.2	
MULTIPLE MYELOMA	7	1.6	100	22.8	
OTHER CANCER SIT	336	76.7	436	99.5	
RESPIRATORY ORGA	, -1	2,0	437	99.8	
SKIN CANCER	ы	2.0	438	100.0	

PERCENT	0.7 20.8 40.9 69.2 100.0
CUMULATIVE	46 179 303 438
CUMUI PERCENT FRE	0.7 50.4 28.3 30.8
HO FREQUENCY	N M M M M
AGEMO	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64128

TABLE OF SITEN BY AGENO

AGEMO .

SITEN

FREQUENCY	10 TO	5	10 44	45 TO 64	in.	PLUS	101
BRONCHUS & LUNG			,,,	1 32 1	30 12	19	
LARYNX		_		8		2	
MALE GENITAL ORG	<u>.</u>	_	0	4	0	-	
HELANOMA		0	0		0	0	
MULTIPLE MYELOMA		0	0	0	- ×	4	
OTHER CANCER SIT		-	41	91	89	112	M
RESPIRATORY ORGA		0	0	0	7	0	
SKIN CANCER		0	0			-1	
TOTAL		м	43	133	124	135	4

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64128

TABLE OF SITEN BY DX_YR

DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER.)

SITEN

438	90	86	89	85	88	TOTAL
•	0	٥	t	0	0	SKIN CANCER
. • •	0	0	0 1 1	 	0	RESPIRATORY ORGA
336	0.2	74 /	į	57	65	OTHER CANCER SIT]
	2	_ D	2	0	×	MULTIPLE MYELOMA 1
	-	0	0		- 0	HELANOMA .
••	1	0	0	,	0	MALE GENITAL ORG
12	r.t	ri		9	2	LARYNX
7	15	-11	15	20 1	17.	BRONCHUS & LUNG
TOTAL	168	88	87	86 (85 (FREQUENCY

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64129

YEAR OF FIRST DIAGNOSIS OF THIS CANCER.

CUMULATIVE PERCENT	14,8 3,40 3,40 6,1,6 0,00 0,00	
CUMULATIVE CUMULATIVE CUMULATIVE DALYR PERCENT	32 82 133 181 181	
PERCENT	4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
FREQUENCY	4 6 5 5 W	
מא_יאמ	85 85 85 85 89 89	

TVE CUMULATIVE	51 23.6 54.5 56 25.9 59 27.3 60 27.3 213 98.6 216 100.0
CUMULATIVE FREQUENCY	
PERCENT	800 HHO 00 H
FREQUENCY	52 3 3 3 4 1 153 5
SITEN FREQUENCY	BRONCHUS & LUNG MALE GENITAL ORG MELANDMA MULTIPLE MYELOMA NASAL CAVITES OTHER CANCER SIT SKIN CANCER

CUMULATIVE PERCENT	12.5 50.9 80.6 100.0
CUMULATIVE CUMULATIVE CUMULATIVI GEMO FREQUENCY PERCENT	110 174 216
PERCENT	12.5 38.4 29.6 19.4
FREQUENCY	27 64 42 42
AGEMO	15 TO 44 45 TO 64 65 TO 74 75 PLUS

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64129

TABLE OF SITEN BY AGENO

AGEMO

SITER

TOTAL	Ę	61	м	м	-1	153		216
75 PLUS	i	2	- 1 21 1 1	H	0		гI	42
			7	0				59
45 TO 64		0			0		 r4	83
15 TO 441		0)))					27
REQUENCY	RONCHUS & LUNG	ALE GENITAL ORG	IELANOMA .	ULTIPLE MYELOMA	ASAL CAVITIES	THER CANCER SIT	KIN CANCER	TOTAL.

CANCER CASES DIAGNOSED IN 1985-89

ZIP=64120

TABLE OF SITEN BY DX_YR

SITEN	DX_YR(YEAR OF FIRST DIAGNOSIS OF THIS CANCER.)	OF FIRST	DIAGNOSIS	OF THIS CAN	(CER.)	
FREQUENCY	85	86]	871	88]	168	TOTAL
BRONCHUS & LUNG 1 1 2 0 1 1		2	0	; ; ; ; ; ; ; ; ; ; ;	н	LC:
LARYNX		0	0		0	
OTHER CANCER SIT 5 2 3 2 2	2	2	- M	2	2	31
TOTAL . 7 4 3 3 3	2	4	3	! ! ! ! ! ! ! ! ! !	m	2Ò